



2021
MADE IN ITALY

ENGI Lighting

+ 20 years
of passion
for lighting

+ 20 anni
di passione per la luce

ENGI TRADIZIONE E INNOVAZIONE
ENGI TRADITION AND INNOVATION **4**

INFORMAZIONI TECNICHE
TECHNICAL INFORMATION **6**

LUNA NUOVA 8

LUNA PIENA 12

CORONA 14

PLANA DECOR 18

PLANA SQUARE 22

PLANA ORIENTABILE 24

PERSONALIZZAZIONE
CUSTOMIZATION **26**

BASIC 28

BASIC ARC 30

BASIC FLOOR 31

TUTTONDO 32

DRITO DECOR 34

DRITO 38

RAMADA PENDANT 40

RAMADA WALL 42

TAVOLINO LUMINOSO 44

FINITURE
FINISHING **48**

INFORMAZIONI
INFORMATION **49**

GEMINI 52

APOLLO 58

ANDROMEDA 64

MAX 3 66

ENGI

Tradizione e Innovazione

Tradition and Innovation

ENGI viene fondata nel 1997. Si distingue ben presto tra le aziende del settore nella fornitura di apparecchi di illuminazione esterna ed interna, industriale e civile, diventando distributore esclusivo per l'Italia di prestigiose aziende internazionali.

Nel 2000 inizia la produzione in Italia con l'utilizzo della nuova tecnologia a led, con apparecchi che si distinguono per funzionalità, eleganza, qualità, tecnologia e sostenibilità.

Tutti i prodotti sono **MADE IN ITALY** e realizzati con un team di designers, progettisti e ricercatori.

In occasione del 20° compleanno di ENGI viene ampliata la gamma iniziando una collaborazione con maestri artigiani veneti.

Si intraprende così la produzione fatta a mano di apparecchi realizzati con l'utilizzo di materiali come vetro, ceramica, legno e metalli e integrati con la più avanzata tecnologia a led.

2020 ENGI è impegnata nello sviluppo totale del prodotto. Gli apparecchi di illuminazione utilizzano sempre più tecnologie IoT e di interconnessione in rete e possono essere gestiti e abilitati da device portatili per il comando e la regolazione o integrati con sensori per il monitoraggio ambientale.

ENGI was founded in 1997 and became a leading Company in lighting for interior and exterior, for private and public use. ENGI is currently distributor of several international lighting Companies.

In 2000 ENGI started to manufacture in Italy its luminaires with led technology. Our products are characterized from the beginning for elegance, quality, technology, functionality and sustainability. All products are **MADE IN ITALY** and they are realized in collaboration with designer, lighting projects and researchers.

Our products' range is enlarged with a collaboration with local artisan. ENGI starts in this way handmade manufacturing with materials as glass, ceramic, wood, metals and combined with led technology.

2020 The Company aims to maintain its position as a prime forerunner of technology within the industry: luminaires are more and more on web and use IoT technologies, controlled by remote devices or integrated with sensors for environmental monitoring.

ENGI LIGHTING

- Exterior & Technical
- Decorative & Architectural
- Antibacterial - Virus - Air quality
- Luxury
- Custom
- Distributor
- Lighting project



Informazioni Tecniche

Technical Information

**LE NOSTRE LAMPADE POSSONO ESSERE
COMPATIBILI O INTEGRATE CON:**

OUR LUMINAIRES CAN BE SUPPLIED OR
INTEGRATED WITH:



Sistema di controllo vocale compatibile con:
Voice control system compatible with:




Controllo WI/FI e gestione a distanza - IoT
WI/FI control and remote management - IoT



App Android
IOS
Windows Mobile



3-STEP DIMMER






Luna Nuova




Luna Nuova

ILLUMINA, ASSORBE RUMORI, IONIZZA
LIGHTING, ACOUSTIC, HEALTH



- 1** Questa lampada riduce il riverbero dei rumori grazie a un pannello acustico posizionato nella parte centrale della lampada con proprietà fonoassorbenti.

Pendant led luminaire with a panel with sound-absorbing properties. Not only a lighting solution but also a higher benefit on our ambiances with positive effects on room's air, supporting health and performances of humans.





- 2** A richiesta trattamento di finitura superficiale con proprietà antibatterica ad azione sanificante per gli ambienti ed apporto di benessere per le persone.



On request special surface treatment with antibacterial, fungicidal and sanitizing actions.

LED 30W - 24V - 4000K **CE**
driver included
weight **15 kg**

FINITURA / FINISHING:
bianco / white ○
nero / black ●



CEILING



PENDANT




Luna Piena

LAMPADA CIRCOLARE IN ALLUMINIO
ROUND LUMINAIRE IN ALUMINIUM




LED 30W - 24V - 4000K - CE
driver included
weight **2,5 kg**

FINITURA / FINISHING:
bianco / white ○
nero / black ●



CEILING



PENDANT




Corona





Corona

APPARECCHIO CIRCOLARE IN LAMIERA
ROUND LUMINAIRE IN SHEET METAL



CEILING


CORONA 29 CE - LED 18W
2700K 1600lm or 4000K 1700lm
230VAC IP20 - IP54 - **1,3 kg**

CORONA 42 CE -LED 22W
2700K 2100lm or 4000K 2200lm
230VAC IP20 - IP54 - **2,2 kg**


FINITURA / FINISHING:

nero / black ●

bianco / white ○



ARC



PENDANT



Plana Decor







Plana Decor

APPARECCHIO CIRCOLARE IN LAMIERA
DI ACCIAIO

CIRCULAR LUMINAIRE IN SHEET STEEL



PLANA DECOR 38 CE - LED 18W
2700K 1600lm or 4000K 1700lm
230VAC RA 80 IP20 - **1,5 kg**

PLANA DECOR 58 CE LED 22W
2700K 2100lm or 4000K 2200lm
230VAC RA 80 IP20 - **3 kg**

FINITURA / FINISHING:


oro / gold ●

bronzo / bronze ●


foglia d'oro / gold leaf ●

cemento / grey concrete ●


corten / corten ●



WALL ARC



WALL / CEILING






PENDANT




Plana Square

APPARECCHIO QUADRATO IN LAMIERA
DI ACCIAIO

SQUARE LUMINAIRE MADE OF SHEET STEEL



WALL / CEILING



PENDANT

PLANA SQUARE 38 €€ - LED 18W
2700K 1600lm or 4000K 1700lm
230VAC RA 80 IP20 - **2 kg**

PLANA SQUARE 59 €€ LED 22W
2700K 2100lm or 4000K 2200lm
230VAC RA 80 IP20 - **4,2 kg**

FINITURA / FINISHING:

oro / gold ●

bronzo / bronze ●

foglia d'oro / gold leaf ●


cemento / grey concrete ●

corten / corten ●



Plana Orientabile

APPARECCHIO CIRCOLARE ORIENTABILE
ROUND ADJUSTABLE LUMINAIRE



PLANA ORIENTABILE 38 C€ - LED 18W
2700K 1600lm or 4000K 1700lm
230VAC - RA80 - IP20 or IP54 - **1 kg**

PLANA ORIENTABILE 58 C€ - LED 22W
2700K 2100lm or 4000K 2200lm
230VAC - RA80 - IP20 or IP54 - **1,2 kg**

FINITURA / FINISHING:


oro / gold ●

bronzo / bronze ●

foglia d'oro / gold leaf ●

cemento / grey concrete ●

corten / corten ●






WALL / CEILING



I NOSTRI APPARECCHI POSSONO ESSERE PERSONALIZZATI CON GRAFICHE E IMMAGINI. GLI ESEMPI QUI SOPRA SONO SOLO INDICATIVI E LE IMMAGINI NON POSSONO ESSERE UTILIZZATE PERCHÈ SONO PROTETTE DA COPYRIGHT.

OUR LUMINAIRES CAN BE CUSTOMIZED WITH GRAPHICS AND IMAGES ON REQUEST. THE ABOVE SAMPLES ARE SUGGESTIVE; IMAGES CAN NOT BE COPIED BECAUSE THEY ARE COPYRIGHTED.







Basic

APPARECCHIO CIRCOLARE IN PMMA
ROUND LUMINAIRE IN PMMA


BASIC ORIENTABILE



CEILING



WALL



PENDANT

BASIC 29 C€ - LED 18W
2700K 1600lm or 4000K 1700lm
230VAC RA 80 IP20 / IP54 - **1,2 kg**

BASIC 42 C€ - LED 22W
2700K 2100lm or 4000K 2200lm
230VAC RA 80 IP20 / IP54 - **1,5 kg**

FINITURA / FINISHING:
bianco / white ○



Basic Arc

APPARECCHIO CIRCOLARE IN PMMA
ROUND LUMINAIRE IN PMMA



BASIC ARC 29 €€ - LED 18W
2700K 1600lm or 4000K 1700lm
230VAC RA 80 - IP20 - **1,2 kg**


BASIC ARC 42 €€ - LED 22W
2700K 2100lm or 4000K 2200lm
230VAC RA 80 - IP20 - **1,5 kg**

FINITURA / FINISHING:
bianco / white ○

Basic Floor

PIANTANA CON CORPO IN PMMA,
SUPPORTO E BASE IN ACCIAIO.

FLOOR LUMINAIRE WITH BODY IN PMMA,
BASE AND POLE IN PAINTED STEEL.



BASIC FLOOR CE - LED 22W
2700K 2100lm or 4000K 2200lm
230VAC RA 80 - IP20
weight **9 kg**

FINITURA / FINISHING:
bronz / bronze ●

Tutondo


LAMPADA CIRCOLARE IN ACCIAIO
ROUND LUMINAIRE IN STEEL, ROUND




LED E27 excluded lamp
230VAC CE
weight **2,2 kg**

FINITURA / FINISHING:
oro / gold ●
foglia oro / gold leaf ●
bronzo / bronze ●

SISTEMA MAGNETICO DI AGGANCIO
MAGNETIC SYSTEM HOOKING



WALL ARC



PENDANT



Drito Decor







Drito Decor

APPARECCHIO LINEARE CON ELEMENTI
DECORATIVI LATERALI IN CERAMICA DIPINTA
A MANO. COMPLETO DI ACCESSORI.

LINEAR LUMINAIRE WITH CERAMIC
DECORATIONS ON SIDES, HAND PAINTED.
ACCESSORIES INCLUDED.




DRITO DECOR CE - LED 30W + 30W
3000K or 4000K
230VAC - IP20 - driver included
weight **6 kg**

DIRECT AND INDIRECT LIGHT / PENDANT




Drito

APPARECCHIO LINEARE IN ALLUMINIO
LINEAR LUMINAIRE IN ALUMINIUM



DRITTO BIEMISSIONE
DIRECT AND INDIRECT LIGHT / PENDANT



DRITTO MONOEMISSIONE
DIRECT LIGHT / CEILING

DRITO CE - LED 30W + 30W
3000K or 4000K
230VAC - IP20 - driver included
weight **2,7 kg**


FINITURA / FINISHING:
alluminio / aluminium ●
bianco / white ○
nero / black ●



Ramada pendant

SOSPENSIONE LUMINOSA, ESPRESSIONE DI ARTIGIANATO HIGH-TECH, VERSIONE TECNO-FANTASY CON FILO DI ACCIAIO SAGOMATO E LAVORATO A MANO. VERNICIATO.

PENDANT LUMINAIRE, ARTISANAL HIGHT-TECH, AN EXAMPLE OF TECHNO-FANTASY MADE IN ITALY. BODY IN STEEL'S CABLES. HANDMADE, PAINTED.





RAMADA C€
300K or 4000K
230VAC RA80 IP20 - 1,5 kg

FINITURA / FINISHING:

nero / black ●

cromo / chrome ●

alluminio / aluminium ●



PENDANT



Ramada wall

APPARECCHIO DI ILLUMINAZIONE A PARETE IN VERSIONE TECNO-FANTASY. ESPRESSIONE DI ARTIGIANATO HIGH TECH, CON FILO IN ACCIAIO SAGOMATO E LAVORATO A MANO, VERNICIATO.

WALL LUMINAIRE, ARTISANAL HIGHT TECH, AN EXAMPLE OF TECHNO FANTASY PRODUCT MADE IN ITALY. BODY IN STEEL CABLES, HANDMADE, PAINTED.



RAMADA WALL



2xE27 - excluded bulb
weight 1,1 kg

FINITURA / FINISHING:

nero / black ●

cromo / chrome ●

alluminio / aluminium ●



WALL




Tavolino Luminoso

APPARECCHIO LUMINOSO CON CORPO A GABBIA IN FILO DI ACCIAIO E CON 2 PIATTI IN CERAMICA, DIPINTI A MANO, VERNICIATI E VETRIFICATI. ILLUMINAZIONE CELATA.

TABLE LUMINAIRE WITH BODY AS A CAGE IN PAINTED STEEL COMPLETE WITH 2 CERAMIC PLATES, COLOURED BY HAND, PAINTED AND VETRIFIED. HIDDEN SOFT LIGHT.



TAVOLINO LUMINOSO
CE - 18W - 3000K - IP20
weight 8 KG










Finiture


Finishing



NERO 9005 LUCIDO
BLACK 9005 POLISHED



BIANCO 9010 LUCIDO
WHITE 9010 POLISHED



ORO
GOLD



FOGLIA ORO
GOLD LEAF



BRONZO
BRONZE




CEMENTO
CONCRETE



CEMENTO RUGGINE
CONCRETE RUST



CROMO
CROME



ALLUMINIO ANODIZZATO
ANODIZED ALUMINIUM

**ALTRE FINITURE
A RICHIESTA**
OTHER FINISHING
ON REQUEST

Informazioni

Information

Particolare attenzione viene posta nella progettazione per garantire al cliente una facile installazione del prodotto e la possibilità di sostituire la fonte luminosa in caso di guasto o usura, senza uso di attrezzi.

Engi products are easy installation and maintenance, with possibility to replace light sources in case of failure or consumption only by hand without tools.



FACILITÀ DI MONTAGGIO, SEMPLICITÀ DI SMONTAGGIO
EASY ASSEMBLY, SIMPLICITY OF DISASSEMBLY




GARANZIA DI DURATA E REPERIBILITÀ DEI COMPONENTI IN CASO DI GUASTO O SOSTITUZIONE (ANNI 5 DI GARANZIA)

GUARANTEE OF DURABILITY AND AVAILABILITY OF COMPONENTS IN CASE OF FAILURE OR REPLACEMENT (5 YEAR GUARANTEE)



RICICLABILITÀ DEI MATERIALI
RECYCLABILITY OF MATERIALS



ENGI PRESENTA UNA NOVITÀ MONDIALE MADE IN ITALY

UNICITÀ: prodotto assolutamente innovativo sul mercato

ORIGINALITÀ: perchè combina l'illuminazione con finiture preziose di altissimo livello e pregio

ESCLUSIVITÀ: ogni prodotto è fatto a mano e certificato singolarmente

VALORE: i materiali utilizzati sono di altissimo pregio storico e di design

NUOVE TECNOLOGIE: con la combinazione tra illuminazione, irrigazione, suono, IoT, wireless in un unico prodotto

ENGI PRESENTS TOTALLY MADE IN ITALY NEW PRODUCTS:

UNIQUE: these products are unique and new in the market

ORIGINAL: we combine lighting with fine and precious finishings, highly decorated


EXCLUSIVITY: each product is handmade and certified.

VALUE: materials are carefully chosen, with historical value and design


NEW TECHNOLOGIES: combination within lighting, irrigation, acoustic, IoT, wireless in a unique product

Engi News 2021

LUXURY COLLECTION



Gemini



Gemini



CANALETTO VERDE



IMPERATORE





GALASSIA BLU

Bollard fisso con corpo in acciaio Aisi 316 e rivestimenti "spaziali" nelle diverse versioni o proposte.

Fixed bollard with body in stainless steel Aisi316L and several different finishings.

Ø 140 h 700 mm

LED12W - 350mA - 4000K 





FULL METAL



MATERICO RUGGINE



MATERICO



GEMINI CANALETTO VERDE

Rivestimento in pietra lavica del vulcano Etna. Finitura con cristalline e vetri di Murano granigliati a mano con ossidi, smalti, ceramica a 1000°.

Coating in lava stone from Etna volcano. Finishing in Muran glass, handmade with oxides, glazes and ceramic at 1000°-


Ø 130 h 700 mm
IP67 



GEMINI IMPERATORE

Rivestimento con mosaico marmo Asi Emperador, vetro e madreperla. Con stuccatura epossidica nera, finitura lucida.

Coating in mosaic marble Asi Emperador, glass and nacre. Complete with black epoxy grouting, polished finishing.


Ø 130 h 700 mm
IP67 



GEMINI GALASSIA BLU

Rivestimento in pietra lavica vulcano Etna. Finitura con ossidi e smalti gocciolati a mano su pietra grezza. Miscela di ossidi di ferro, cobalto, rame, biossido di titanio e altri.

Coating in lava stone from Etna volcano. Finishing with oxides, glazes handmade dripped on rough stone. Mixture of iron oxides, copper, cobalt, titanium dioxide.

Ø 135 h 700 mm
IP67 



GEMINI FULL METAL

Bollard fisso in solo acciaio Aisi 316 satinato.

Fixed bollard in stainless steel Aisi 316L, satinated.

Ø 114 h 700 mm
IP67 **CE**



GEMINI MATERICO

Rivestimento in microcemento microtopping estremamente resistente alle sollecitazioni di natura, usura e macchie. Finitura con colorante ed effetto finale di grande impatto estetico ed eleganza.

Coating in micro cement, highly resistant microtopping to stains, use and nature. Finishing with colourant for elegant and chic effect.

Ø 135 h 700 mm
IP67 **CE**




GEMINI RUGGINE

Rivestimento in microcemento microtopping estremamente resistente alle sollecitazioni di natura, usura e macchie. Finitura con colorante ed effetto finale di grande impatto estetico ed eleganza.

Coating in micro cement, highly resistant microtopping to stains, use and nature. Finishing with colourant for elegant and chic effect.

Ø 135 h 700 mm
IP67 **CE**



A photograph of a modern building's exterior. The building has a dark, textured facade with a large window. A concrete walkway runs along the base of the building, and a green lawn is in the foreground. The word "Apollo" is overlaid in white serif font on the right side of the image.

Apollo

Apollo




Bollard retraibile in acciaio inox.
Carrabile quando chiuso, antiurto quando aperto. Adatto per utilizzo in giardini, parcheggi e piazze e negli ambienti più vari, per atmosfera, umidità e temperatura, dal mare alla montagna.

Retractable stainless steel bollard.

Drive over when closed, shockproof when open. Suitable for use in gardens, car parks and squares and in the most varied environments, for atmosphere, humidity and temperature, from the sea to the mountains.

Ø 130 h 500 mm
230V - 50Hz - Classe I - IP67 - 3000K - 4000K **CE**





CANALETTO VERDE



IMPERATORE




GALASSIA BLU



FULL METAL



MATERICO RUGGINE




MATERICO












Andromeda

Andromeda




Lampioncino fisso in acciaio inox AISI 316L di forma ovale e sagomata a mano con led 6W, con driver. L'apparecchio può essere ordinato anche con luce posteriore radente o per l'illuminazione di facciate.

Fixed bollard in stainless steel AISI 316L, handmade oval shape, with led 6W. It can be ordered with grazing rear lighting or for façade lighting.




Max 3





VERDE ALPI



BIANCO CARRARA




PORFIDO



Apparecchio da incasso per interni ed esterni. Corpo in lega di alluminio, diffusore trasparente antisfondamento. Chiere in marmo di tipologia e colori diversi.

Recessed led luminaire for interiors and exteriors. Body in aluminium, clear diffuser with impact zero. Frames in marble in several colours and finishings.



ITEM	FINISHING	POWER – CRI	COLOUR TEMP.	OPTIC	SUPPLY	DRIVER	OPERATION	IP RATE – CLASS	WEIGHT	MARK	PAGE
LUNA NUOVA	white	30W - Ra >80	3000K	DIRECT	230V 50Hz	included	FIXED	IP20 – CLI	15	CE	10
PENDANT	black		4000K				PWM DIMM.				
LUNA NUOVA	white	30W - Ra >80	3000K	DIRECT	230V 50Hz	included	FIXED	IP20 – CLI	15	CE	10
CEILING	black		4000K				PWM DIMM.				
LUNA PIENA	white	30W - Ra >80	3000K	DIR/IND	230V 50Hz	included	FIXED	IP20 – CLI	2,5	CE	12
PENDANT	black		4000K				PWM DIMM.				
LUNA PIENA	white	30W - Ra >80	3000K	DIR/IND	230V 50Hz	included	FIXED	IP20 – CLI	2,5	CE	12
CEILING	black		4000K				PWM DIMM.				
CORONA 29	pol. white	18W - Ra >80	2700K – 1600lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	1,3	CE	16
PENDANT	pol. black		4000K – 1700lm				DIMM – 3STEP	IP54 – CLI			
CORONA 42	pol. white	22W - Ra >80	2700K – 2100lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	2,2	CE	16
PENDANT	pol. black		4000K – 2200lm				DIMM – 3STEP	IP54 – CLI			
CORONA 29	pol. white	18W - Ra >80	2700K – 1600lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	1,3	CE	16
CEILING – WALL	pol. black		4000K – 1700lm				DIMM – 3STEP	IP54 – CLI			
CORONA 42	pol. white	22W - Ra >80	2700K – 2100lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	2,2	CE	16
CEILING – WALL	pol. black		4000K – 2200lm				DIMM – 3STEP	IP54 – CLI			
CORONA 29	pol. white	18W - Ra >80	2700K – 1600lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	1,7	CE	16
WALL ARC	pol. black		4000K – 1700lm				DIMM – 3STEP	IP54 – CLI			
CORONA 42	pol. white	22W - Ra >80	2700K – 2100lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	2,6	CE	16
WALL ARC	pol. black		4000K – 2200lm				DIMM – 3STEP	IP54 – CLI			
PLANA DECOR 38	gold - bronze gold leaf	18W - Ra >80	2700K – 1600lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	1,5	CE	20
PENDANT	concrete concrete rust		4000K – 1700lm				DIMM – 3STEP	IP54 – CLI			
PLANA DECOR 56	gold - bronze gold leaf	22W - Ra >80	2700K – 2100lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	3	CE	20
PENDANT	concrete concrete rust		4000K – 2200lm				DIMM – 3STEP	IP54 – CLI			
PLANA DECOR 38	gold - bronze gold leaf	18W - Ra >80	2700K – 1600lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	1,5	CE	20
CEILING – WALL	concrete concrete rust		4000K – 1700lm				DIMM – 3STEP	IP54 – CLI			
PLANA DECOR 56	gold - bronze gold leaf	22W - Ra >80	2700K – 2100lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	3	CE	20
CEILING – WALL	concrete concrete rust		4000K – 2200lm				DIMM – 3STEP	IP54 – CLI			
PLANA DECOR 38	gold - bronze gold leaf	18W - Ra >80	2700K – 1600lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	1,8	CE	20
WALL ARC	concrete concrete rust		4000K – 1700lm				DIMM – 3STEP	IP54 – CLI			
PLANA SQUARE 38	gold - bronze gold leaf	18W - Ra >80	2700K – 1600lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	2	CE	22
PENDANT	concrete concrete rust		4000K – 1700lm				DIMM – 3STEP	IP54 – CLI			
PLANA SQUARE 56	gold - bronze gold leaf	22W - Ra >80	2700K – 2100lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	4,2	CE	22
PENDANT	concrete concrete rust		4000K – 2200lm				DIMM – 3STEP	IP54 – CLI			
PLANA SQUARE 38	gold - bronze gold leaf	18W	2700K – 1600lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	2,1	CE	22
CEILING – WALL	concrete concrete rust	Ra >80	4000K – 1700lm				DIMM – 3STEP	IP54 – CLI			
PLANA SQUARE 56	gold - bronze gold leaf	22W - Ra >80	2700K – 2100lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	4,3	CE	22
CEILING – WALL	concrete concrete rust		4000K – 2200lm				DIMM – 3STEP	IP54 – CLI			
PLANA SQUARE 56	gold - bronze gold leaf	22W - Ra >80	2700K – 2100lm	DIRECT	230V 50Hz	included	FIXED	IP40 – CLI	4,2	CE	22
RECESSED	concrete concrete rust		4000K – 2200lm				DIMM – 3STEP	IP54 – CLI			
PLANA 29 ADJ.	gold - bronze gold leaf	18W - Ra >80	2700K – 1600lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	1,3	CE	24
CEILING – WALL	concrete concrete rust		4000K – 1700lm				DIMM – 3STEP	IP54 – CLI			
PLANA 58 ADJ.	gold - bronze gold leaf	22W - Ra >80	2700K – 2100lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	1,4	CE	24
CEILING – WALL	concrete concrete rust		4000K – 2200lm				DIMM – 3STEP	IP54 – CLI			

ITEM	FINISHING	POWER – CRI	COLOUR TEMP.	OPTIC	SUPPLY	DRIVER	OPERATION	IP RATE – CLASS	WEIGHT	MARK	PAGE
BASIC 29	white	18W - Ra >80	2700K – 1600lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	1,5	CE	28
PENDANT			4000K – 1700lm				DIMM – 3STEP	IP54 – CLI			
BASIC 42	white	22W - Ra >80	2700K – 2100lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	1,8	CE	28
PENDANT			4000K – 2200lm				DIMM – 3STEP	IP54 – CLI			
BASIC 29	white	18W - Ra >80	2700K – 1600lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	1,2	CE	28
CEILING – WALL			4000K – 1700lm				DIMM – 3STEP	IP54 – CLI			
BASIC 42	white	22W - Ra >80	2700K – 2100lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	1,5	CE	28
CEILING – WALL			4000K – 2200lm				DIMM – 3STEP	IP54 – CLI			
BASIC 29 ADJ.	white	18W - Ra >80	2700K – 1600lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	1,3	CE	28
CEILING – WALL			4000K – 1700lm				DIMM – 3STEP	IP54 – CLI			
BASIC 42 ADJ.	white	22W - Ra >80	2700K – 2100lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	1,4	CE	28
CEILING – WALL			4000K – 2200lm				DIMM – 3STEP	IP54 – CLI			
BASIC 29	white	18W - Ra >80	2700K – 1600lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	1,2	CE	30
WALL ARC			4000K – 1700lm				DIMM – 3STEP	IP54 – CLI			
BASIC 42	white	22W - Ra >80	2700K – 2100lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	2,5	CE	30
WALL ARC			4000K – 2200lm				DIMM – 3STEP	IP54 – CLI			
BASIC 42	white	22W - Ra >80	2700K – 2100lm	DIR/IND	230V 50Hz	included	FIXED	IP40 – CLI	9	CE	31
FLOOR	bronze		4000K – 2200lm				DIMM – 3STEP	IP54 – CLI			
TUTTONDO	gold – bronze	E27 not incl.		DIR/IND	230V 50Hz	no		IP20 – CLI	2,2	CE	32
PENDANT	gold leaf										
TUTTONDO	gold – bronze	E27 not incl.		DIR/IND	230V 50Hz	no		IP20 – CLI	2,4	CE	32
WALL ARC	gold leaf										
DRITO DECOR	materic ceramic	30W+30W Ra>80	3000K	DIR/IND	230V 50Hz	included	FIXED	IP20 – CLI	6,1	CE	36
PENDANT			4000K				DIMM.				
DRITO PENDANT	aluminium white - black	30W+30W Ra>80	3000K	DIR/IND	230V 50Hz	included	FIXED	IP20 – CLI	2,7	CE	38
			4000K				DIMM.				
DRITO PENDANT	aluminium white - black	30W - Ra>80	3000K	DIRECT	230V 50Hz	included	FIXED	IP20 – CLI	2,7	CE	38
			4000K				DIMM.				
DRITO CEILING	aluminium white - black	30W - Ra >80	3000K	DIRECT	230V 50Hz	included	FIXED	IP20 – CLI	2,7	CE	38
			4000K				DIMM.				
RAMADA PENDANT	aluminium black - chrome chrome	27W - Ra >80	3000K	DIRECT	230V 50Hz	included	FIXED	IP20 – CLI	1,5	CE	40
			4000K								
RAMADA WALL	aluminium black - chrome chrome	2 x E27 not incl.		DIR/IND	230V 50Hz	no		IP20 – CLI	1,1	CE	42
TAVOLINO LUMINOSO	vitrified ceramic	18W - Ra >80	3000K	DIRECT	230V 50Hz	included	FIXED	IP20 – CLI	8	CE	44
GEMINI CANALETTO VERDE	lava stone	12W - Ra >80	3000K	DIRECT	230V 50Hz	included	FIXED	IP65 – CLI	15	CE	56
BOLLARD			4000K								
GEMINI IMPERATORE	marble & murano glass	12W - Ra >80	3000K	DIRECT	230V 50Hz	included	FIXED	IP65 – CLI	8,6	CE	56
BOLLARD			4000K								
GEMINI GALASSIA BLU	lava stone	12W - Ra >80	3000K	DIRECT	230V 50Hz	included	FIXED	IP65 – CLI	16	CE	56
BOLLARD			4000K								
GEMINI FULL METAL	inox AISI 316L	12W - Ra >80	3000K	DIRECT	230V 50Hz	included	FIXED	IP65 – CLI	6	CE	56
GEMINI MATERICO	concrete resin	12W - Ra >80	3000K	DIRECT	230V 50Hz	included	FIXED	IP65 – CLI	6	CE	56
BOLLARD			4000K								
GEMINI MATERICO RUGGINE	corten resin	12W - Ra >80	3000K	DIRECT	230V 50Hz	included	FIXED	IP65 – CLI	6	CE	56
BOLLARD			4000K								
APOLLO	inox AISI 316L	3x1W - Ra >80	3000K	DIRECT	230V 50Hz	included	FIXED	IP65 – CLI	15	CE	60
GROUND RECESSED		4x3W - Ra >80	4000K	DIR/IND							
MAX3	AISI 316L aluminium	6W – Ra >80	3000K	FLOOD	230V 50Hz	included	FIXED	IP67 – CLI	0,6	CE	68
GROUND RECESSED	white – marble porphyry		4000K								
ANDROMEDA	AISI 316L aluminium	6W – Ra >80	3000K	DIRECT	230V 50Hz	included	FIXED	IP67 – CLI	6	CE	66
BOLLARD			4000K								

**Un ringraziamento ai nostri designers
Special thanks to our designers**

Giuseppe Facchinello
Danny Pavone
Giuseppe Dal Lago
Uff. Tecnico Engi

Photo & Concept: Photopiu.it

Ringraziamenti / Special thanks

Tavolini, poltroncine e sedie Sitia
www.sitia.com

Tappeti: Matteo Pala
www.matteopala.it

Tutti i dati e le descrizioni in questo catalogo si intendono forniti solo a titolo informativo e non sono impegnativi per l'azienda produttrice, la quale si riserva il diritto di apportare variazioni e modifiche che si rendessero necessarie per ottenere ulteriori miglioramenti qualitativi dei prodotti. Si avvisa che i prodotti sono fatti a mano e per questa unicità possono presentare differenze nel colore o nella forma rispetto agli originali. Vietata la riproduzione anche parziale di testi ed immagini.

All data and descriptions in this catalogue are provided only for information and not binding for the Company, and reserve the right to make necessary changes to improve the quality of its products. Products are handmade and for this reason unique, so they can be slightly different for the original one in this printed catalogue. It is forbidden to copy texts and/or images.



ENGI SRL

Via Cassola, 60 - 36027 Rosà (VI) Italy
+39 (0)424 582534 - +39 (0)424 587185
info@engi.it - www.engi.it

